

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/518,727	09/14/2005	Martin Krause	BB-124	1308
====:	7590 04/18/200 K LLOYD & SALIW.	EXAMINER		
A PROFESSIONAL ASSOCIATION PO BOX 142950 GAINESVILLE, FL 32614-2950			MEAH, MOHAMMAD Y	
			ART UNIT	PAPER NUMBER
			1652	
SHORTENED STATUTORY	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
31 DAYS		04/18/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
Office Astion Commence	10/518,727	KRAUSE ET AL			
Office Action Summary	Examiner	Art Unit			
	Mohammad Meah	1652			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on					
	- action is non-final.	·			
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) 1-21 is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6) Claim(s) is/are rejected.		·			
7) Claim(s) is/are objected to.		•			
8) Claim(s) 22 are subject to restriction and/or	election requirement.				
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119					
<u> </u>					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) All b) Some * c) None of:	have been seed as				
1. Certified copies of the priority documents have been received.					
 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage 					
		d in this National Stage			
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal Pa	atent Application			
Paper No(s)/Mail Date 6) Other:					

Application/Control Number: 10/518,727

Art Unit: 1652

DETAILED ACTION

The claims 1-21 are pending in the instant office action.

Restriction

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions, which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-8, drawn to methods of detection and quantification of proteins comprising HPLC/Mass spectrometry wherein the method also comprise protein chelate and linker group bound to solid support and use of an enzyme for cleavage.

Group II, claim(s) 1-8, drawn to methods of detection and quantification of proteins comprising HPLC/Mass spectrometry wherein the method also comprise protein chelate and linker group bound to solid support and use of **chemical** for cleavage.

Group III, claim(s) 9-18, 21 drawn to a reagent comprising protein, chelate and linker group having functional group capable of associating with solid support.

Group IV, claim 19, drawn to methods of detecting protein in biological sample using compound of group III.

Group V, Claim 20, drawn to method of diagnosing diseases in an animal by measuring expression of protein using the compound of group III.

The inventions listed as Groups I-V do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

Application/Control Number: 10/518,727

Art Unit: 1652

Technical feature of group III is compound and technical features of group I-II and VI-V method steps. Compound of group III is used in the method step of group IV and V having different technical feature.

Methods in groups I-II and IV-V are different methods involve different steps for the processes result different utilities.

Furthermore', the technical feature Linking group I-VI appears to be that they all Relate to immobilized metal chelate bound to protein in the use of HPLC. This immobilized metal chelate bound to protein in the use of HPLC does not constitute a "special technical feature" as defined by PCT Rule 13.2, because it does not claim a feature, which defines a contribution over the prior art, as immobilized metal chelate bound to protein in the use of HPLC is known thorough (J. Chrom. 1999, 61-70, from IDS)).

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement is traversed (37 CFR 1.143).

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad Meah whose telephone number is 571-272-1261. The examiner can normally be reached on 8:30-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ponnathapu Achutamurthy can be reached on 571-272-0928. The

Art Unit: 1652

fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mohammad Younus Meah, PhD Examiner, Art Unit 1652 Recombinant Enzymes, 3C31 Remsen Bld 400 Dulany Street, Alexandria, VA 22314

Telephone: 517-272-1261

REDECCA E. PROUTY
PRIMARY EXAMINER
GROUP 1900